

CGHS Allopathic Raised Objections					
S.No	Nature Of Objection	Question Id	Explanation / Objection Raised	SME Explanation	Valid / Invalid
1	Incorrect answer key	4735161	sir when we are using the adjectives it represent the skill of the person. in front of the adjectives we will use the preposition 'the' instead of 'a'	Key is 1. that is the correct answer .The can be used with electrician when the sentence is 'We want the electrician who has a good knowledge of English.' so 'an---a' is the answer.	Invalid
2	Multiple correct answers	4735161	ansers		Invalid
3	Incorrect answer key	4735161	answer 1 is correct		Invalid
4	Any other mistake	4735161	Thise questions paper is hindi language not generated because the cghs pattern in nagpur		Invalid
5	Incorrect answer key	4735161	Before the adjectives The can be used .		Invalid
6	Incorrect answer key	4735161	We want the electrician with a good knowledge of English.Here electrician is not a Common word he is having specific information is that he is with a good knowledge of English, so THE is correct article here.		Invalid
7	All options incorrect	4735161	result		Invalid
8	Multiple correct answers	4735161	ALPT17319850557		Invalid
9	Multiple correct answers	4735161	An & the option no 4		Invalid
10	Multiple correct answers	4735161	The first option (1.an,the) is also correct because we can use defnite articles i.e THE before ADJECTIVES (good).ex: the rich.the blind,the good etc		Invalid
11	Incorrect / Ambiguous question	4735162	The door bell rang thrice until we were having dinner.	The key is 4. That is the only possible answer. Rest are good distractors.you cannot use during or, until or till in this sentence.	Invalid
12	Multiple correct answers	4735162	in this question the answer can be "during" or "while"		Invalid
13	Incorrect answer key	4735162	duruing is the answer		Invalid
14	Any other mistake	4735162	changing my answers in answer key. Ques.. id 4735162 i am ticking option 1st means during how tick on while, i remember very well what i am choosing in exam hall that mistake not only one answers thats mistake on 22 questions i am choosing other in exam hall and at a time i am seen in answer key ticking another answer. pls resolve this kind of mistak all answers remember very well what i am choosing in hall. pls do needfull its my and parents carrier		Invalid
15	Incorrect answer key	4735163	Explanation	the key is 1. here 'because' is the correct word. Others don't make sense.	Invalid
16	Incorrect / Ambiguous question	4735163	Explain elaborately		Invalid
17	Incorrect answer key	4735164	Has changed (OPTION 4) must be the option since had changed will be answer if some intermediate event was explained.		Invalid
18	Multiple correct answers	4735164	PAST TENSES SHOULD NOT COME TOGETHER... HAD CHANGED		Invalid
19	Incorrect answer key	4735164	sir we cant use two past tenses in a sentence so it should be has changed so fourth option should be the correct answer sir thank you		Invalid
20	Incorrect answer key	4735164	The question was in past tense and the The word everything must be follwed by plural verb" has changed" will suit...		Invalid

21	Incorrect answer key	4735164	has changed is correct answer instead of had changed		Invalid
22	Incorrect answer key	4735164	Option 2 has changed is the correct answer it is a present perfect tense	The key is 4. That is the only possible answer. Here past perfect is to be used to express the event completed before a given moment in the past.	Invalid
23	Any other mistake	4735164	I visited my school in the village after twenty years, i found that everything changed. Translation in hindi-????? 20 ?????? ?? ??? ?????? ??? ?????? ?? ?????? ???, ?????? ?????? ?? ?????? ??? ??? So in this question changed is the right answer. My answer is correct, According to questions first part of tense changed will come, but had changed will not come. Was changed will come in place of changed, but was changed is not in option. So my chosen answer According to questions is correct. because According to first tense of meaning changed is appropriate, otherwise was changed. So my answer is correct.		Invalid
24	Incorrect answer key	4735165	The answer is in between 94&95 then the answer will be near to 95	the key is 4. The sentence is in superlative degree.	Invalid
25	Incorrect answer key	4735165	In this question the correct answer is 2		Invalid
26	Any other mistake	4735166	I selected correct option 3 but it shows wrong option 4 in response sheet please review my answer sheet.	the key is 3. option 4 is wrong.	Invalid
27	Multiple correct answers	4735168	Uncourteous and Discourteous both are correct answer		Invalid
28	Incorrect answer key	4735168	As adjectives the difference between discourteous and uncourteous is that discourteous is impolite; lacking consideration for others while uncourteous is not courteous; impolite, rude. Option 1 is the correct answer		Invalid
29	Multiple correct answers	4735168	Word- Courteous Antonyms of courteous is uncourteous. So option 1 of this question correct. so my answer is correct. Antonyms: uncourteous, bad-mannered, thoughtless, unmindful, unrefined, rude, mean, disrespectful, inconsiderate, inattentive, heedless, uncivil, unkind, impolite, unmannerly, discourteous. www.thesaurus.com	the appropriate word is 'discourteous'. Others are not correct.	Invalid
30	Multiple correct answers	4735168	Uncourteous(option 1) and discourteous(option 2) both are antonym to courteous. Thus confusion was created and some other answer was marked by me.		Invalid
31	Multiple correct answers	4735169	Dog senna and palthe senna		Invalid
32	Any other mistake	4735169	I selected correct option but it shows wrong option which is I did not select so please review my answer.	the key is 2.	Invalid
33	Multiple correct answers	47351611	gipsy also wrong gypsy is right	the key is 4. Ginger is wrongly spelt here.	Invalid
34	Incorrect answer key	47351612	'among' could not be the right answer, doing so leads to 2 subject at the start of the question. also if have been is selected as INCORRECT even then originality of sentence and meaning does not change. therefore the right answer should have been.	the key is 1. in place of among, it should be between.	Invalid

35	Incorrect / Ambiguous question	47351613	the synonyms of deduct are subtract,take away ,debit etc ...so we can use the word 'deduct' in the given question	the key is 2. in place of deduct, it should be deducted.that is the error here.	Invalid
36	Incorrect answer key	47351613	Income tax will deduct after the submission of IT declaration, Than based on the source of income after eligibility calculation tax will be deduct from salary.		Invalid
37	Incorrect answer key	47351613	'deduct' reveals the action happened and it can not be INCORRECT it has to be there in the sentence otherwise sentence does not make any sense.		Invalid
38	Any other mistake	47351614	i am giving all Ques. IDs - 47351614,4735162,4735166,47351627,47351639,47351625,47351641,47351654,47351673,47351689,47351690,47351663,47351677,47351671,47351670,4735169,47351674,47351687,47351699,47351669,47351683,47351661 in all questions change my options but all are correct because i am workin in 1.5 years in company and regulary making intestinal buffer 6.8 so its not my mistake, why i am selectng 7-9 i am not mad pls its my carrier dont play this exam not imporant for u but in my life so important so pls do coreect other 3 question are in my sheet that are wrong but options allready changed	the key is 2. in place of 'will now paying', it should be 'will now be paying.that is the error here.	Invalid
39	Incorrect answer key	47351614	Until is the error here...		Invalid
40	Incorrect answer key	47351614	'will now paying' has to be in the sentence it can not be regarded as INCORRECT instead correct answer should be 'until' doing so does not change the meaning of sentence whereas if 'will now paying' is selected leads to change the meaning of the sentence and also does not make any sense to understand it.		Invalid
41	Incorrect answer key	47351614	according to the answer key the answer is given "will now paying" but according to me the answer should be "untill"		Invalid
42	Incorrect answer key	47351616	In allopathy question set Que no 33 reyes syndrome ans give in answer key is Acetoaminophen .sir is it correct i read in many refe book reyes syndrome is associated with Aspirin....sir plz tell me what is correct ans	the key is 2. That is the correct structure of the sentence.	Invalid
43	Multiple correct answers	47351617	Option 1 could be the correct answer, as maitaining adequate stock is one of the main function of C&F agency.	the key is 2. that is the correct passive form of the given sentence.	Invalid
44	Any other mistake	47351617	First I selected option 3 and press save & next but before submit I reviewed answers then I changed option as 4 which is correct but in my response sheet the option is not updated so please review my response sheet		Invalid
45	Incorrect answer key	47351617	Answer: The digging for laying the pipeline is being finished.Explanation: In Passive voice first Verb+ing+total sentence.		Invalid

46	Incorrect answer key	47351617	We can not use A article before adjective good but we can use the in it because it is talking about specific thing.		Invalid
47	Multiple correct answers	47351617	Had change may also be correct		Invalid
48	Translation error	47351618	Ans 3		Invalid
49	Any other mistake	47351618	Here, the question is from voices(active and passive voice)which was not mentioned in the syllabus given by cghs.ts.nic.in	the key is 2. the tense in the active form should match with the passive form of the given sentence.	Invalid
50	Any other mistake	47351620	47351620,47351612both questions are correct pls dont do this i am so upset pls for godshake pls check my PC thats i am using C100 is my PC	the key is 3.	Invalid
51	Any other mistake	47351621	First I selected option 4 then click on save & next but before submit I reviewed and selected option 1 which is correct answer but in my answer sheet it is not updated as correct answer so please review my answer sheet	Not an SME Issue, Please Review any action required.	Invalid
52	Multiple correct answers	47351621	as the pythagoras formula root of 1 squire plus 5 squire equal to 26 root which is not five Sa mention in the answer key.	This Objection is invalid as its not related to the question that was set, please check if this is an objection raised for any other question within Math set by another SME.	Invalid
53	Any other mistake	47351622	I selected correct answer which is option 2 but in my response sheet it shows option 4 which is wrong answer .so please review the my answer sheet...	Not an SME Issue, Please Review any action required.	Invalid
54	Difficulty level high	47351622	difficulty level is high as compared to respective post.	It is a question of medium level difficulty as stipulated	Invalid
55	Difficulty level high	47351622	difficulty level is high as compared to respective post.	It is a question of medium level difficulty as stipulated	Invalid
56	Difficulty level high	47351624	I don't think this place so familiar that every one should know	This Objection is only an opinion and not relevant to the accuracy of the question	Invalid
57	Any other mistake	47351624	Out of syllabus. Only you gave indian geography in syllabus but this question from world geography. So add the mark or delete the question.	The Syllabus specified in the work order was as follows: <u>Syllabus – General Knowledge (10+2 level)</u> <u>Create a mix of GK and Current Affairs.</u> Therefore this question is very much within the syllabus.	Invalid
58	Any other mistake	47351624	Out of syllabus. You gave only indian geography in syllabus but this is from world geography. So please delete or add the mark for this question.	The Syllabus specified in the work order was as follows: Syllabus – General Knowledge (10+2 level) Create a mix of GK and Current Affairs. Therefore this question is very much within the syllabus.	Invalid
59	Any other mistake	47351624	As this question is related to World Geography not to indian Geography as it is situated in Uzbekistan .WORLD GEOGRAPHY is not mentioned in the syllabus given by CGHS so it is out of syllabus.	The Syllabus specified in the work order was as follows: <u>Syllabus – General Knowledge (10+2 level)</u> <u>Create a mix of GK and Current Affairs.</u> Therefore this question is very much within the syllabus.	Invalid
60	Any other mistake	47351625	the indian army also signed the MOU with AXIS BANK for DEFENCE SALARY PACKAGE in APRIL 2018 i.e on 13th april 2018	http://www.india.com/business/indian-army-hdfc-bank-sign-memorandu	Invalid
61	Any other mistake	47351625	I selected correct option 3 which is correct but in my response sheet it shows option 1 .so please review my response sheet	The MOU with SBI was signed in July not in April Therefore this objection isnt valid	Invalid

62	Any other mistake	47351627	I selected correct option for this question which is option 4 but in my answer sheet it is not updated so please review my answer sheet....	Not an SME Issue, Please Review any action required.	Invalid
63	Multiple correct answers	47351627	the signed between india and afganistan food safety and standard authority,ministry of health and family welfare and ministry of agriculture,irrigation & livestock,afganistan	According to the link it is clear that the question was pertinent and specific to april therefore the objection is invalid	Invalid
64	Any other mistake	47351627	Incomplete question	?? This is just a misleading objection and is irrelevant to the validity of the question	Invalid
65	Any other mistake	47351629	I selected correct answer option 1 but in my response sheet it shows option 4 . So please review answer sheet ...	Not an SME Issue Please Review any action required.	Invalid
66	Difficulty level high	47351630	difficulty level is high as compared to respective post.	The Greenhouse effect is studied by students right from early stages, also the role of Carbon Dioxide is a well articulated topic of study, therefore the level of difficulty is appropriate as suggested in the paper.	Invalid
67	Difficulty level high	47351630	It is Difficult to say answer....	Same as above	Invalid
68	Difficulty level high	47351630	Can't get the question	??? - The questions is pretty self explanatory and clear	Invalid
69	Difficulty level high	47351630	VERY DIFFICULTY QUESTION TO ESTIMATE	Same as specified for objections 1 and 2 of this question	Invalid
70	Difficulty level high	47351630	answer is is totally predictive.the CO2 released in the air and its concentration may affect by various factors in the environment for e.g. if land is planted with trees then there will be more photosynthesis, transpiration and hence more utilisation of atmospheric CO2 or wise versa if land freed by cutting the trees.	The question isn't predictive but specific, because it isn't related to circumstances... it is in fact specific about the overall level of CO2 already in the air and isnt concerned with how the CO2 got there to begin with.	Invalid
71	Difficulty level high	47351630	Not the level of this exam.highly difficult to answer !!	Same as specified for objections 1, 2 and 4 of this question	Invalid
72	Difficulty level high	47351633	difficulty level is high as compared to respective post.	This objection is irrelevant to the validity of the question. The question is a pertinent one as it not only related to science but is of national importance as well therefore making it an easy one.	Invalid
73	Any other mistake	47351634	I selected correct option for this question which is option 2 but in my answer sheet shows option 1 which is wrong answer .so please review my answer sheet	Not an SME Issue, Please Review any action required.	Invalid
74	Difficulty level high	47351634	It is a very very difficult GK question	This objection is a matter of opinion and is not related to the validity of the question therefore it is invalid.	Invalid
75	Difficulty level high	47351636	DIFFICULTY .. ABOUT ENGLISH NOVELS FOR A PERSON	??? This objection is a matter of opinion and is not related to the validity of the question therefore it is invalid.	Invalid
76	Any other mistake	47351636	I selected correct option which is option 4 but in my response sheet it shows wrong answer which is option 4.so please review my answer sheet	Not an SME Issue, Please Review any action required.	Invalid

77	Difficulty level high	47351636	Question difficulty level is high and does not found such question arise from given syllabus of subject.	Again the syllabus for this GK set as specified in the work order was: <u>Syllabus – General Knowledge (10+2 level)</u> <u>Create a mix of GK and Current Affairs.</u> Therefore this question is very much within the syllabus.	Invalid
78	Any other mistake	47351636	This question comes under British History. It is not related to indian history and is not mentioned in the general knowledge syllabus given by cghs as Sherlock Homes was written by British author Sir Arthur canon Doyle so it is out of syllabus	Same as above	Invalid
79	Difficulty level high	47351637	Question is out of syllabus. Question is not clearly Found from given syllabus.	Again the syllabus for this GK set as specified in the work order was: <u>Syllabus – General Knowledge (10+2 level)</u> <u>Create a mix of GK and Current Affairs.</u> Therefore this question is very much within the syllabus.	Invalid
80	Incorrect answer key	47351637	option-1-kalamkari correct tamarind used in kalamkarihttp://www.dsource.in/resource/kalamkari-painting/tools-and-raw-materialsbut tamarnid not used in pattachirahttp://www.dsource.in/resource/patachitra-painting-bhubaneswar-orissa/making-process	Kalamkari is called as such because of the use of a penlike tool and is predominantly a textile craft therefore there is no use of tamarind paste. The links given by candidates ar invalid as they are misleading sources please refer to the link shared in the adjacent column.	Invalid
81	Any other mistake	47351637	NOT INCLUDED IN THE SYLLABUS	Same as specified for objection 1	Invalid
82	Incorrect answer key	47351637	https://books.google.co.in/books?id=i4pvVOd2L0cC&pg=PA587&lpg=PA587&dq=kalamkari+painting+tamarind+seeds&source=bl&ots=uSLC9B10xt&sig=I4FFWSzdSr6obDFEtT5r0ulaZ9g&hl=en&sa=X&ved=0ahUKEwjwrOfVjvjbAhWVbisKHSZsCAIQ6AEIRzAJ#v=onepage&q=kalamkari%20painting%20tamarind%20seeds&f=falseOption 2 is the correct answer. all answers which am giving is my opion only. please check	It is not clear if this candidate has chosen the correct answer or not, which is not an SME issue. For clarity regarding the topic please refer to the link shared in the adjacent column.	Invalid
83	Incorrect / Ambiguous question	47351637	irrrilivant question for the post	?? This objection is not related to the validity of the question	Invalid
84	Difficulty level high	47351638	NOT INCLUDED IN SYLLABUS	Again the syllabus for this GK set as specified in the work order was: <u>Syllabus – General Knowledge (10+2 level)</u> <u>Create a mix of GK and Current Affairs.</u> Therefore this question is very much within the syllabus.	Invalid
85	Difficulty level high	47351638	Which class related to this chapter or subject... wether it was current issue or anything...	Same as specified for objection 1	Invalid
86	Difficulty level high	47351638	difficulty level is high as compared to respective post.	The question clearly state that the level of difficulty is in fact difficult therefore this objection is invalid.	Invalid
87	Incorrect / Ambiguous question	47351638	irrrilivant question and difficulty level is high	Same as specified for objection 1, 2 and 3	Invalid
88	Any other mistake	47351641	NO RELATION ... CROAK IS THE SOUND PRODUCED AND NO RELATION WITH THE CROW AND COCK WITH JACKAL	COCK is the sound of CROW, in the same way as HOWL is the sound of JACKAL. So, option 4 is the correct answer.	Invalid
89	Multiple correct answers	47351642	I have mistaken	Option 2 is the only correct answer.	Invalid

90	Any other mistake	47351643	chance to correct ans 4	Option 2 is the only correct answer.	Invalid
91	Incorrect / Ambiguous question	47351644	question is either incorrect or missing some other information to solve it. the question was very difficult also.	Let D and S be the number of Daughters & Sons respectively. Then we have: $D - 1 = S$ and $2(S - 1) = D$. Solving these two, we get $D = 4$ and $S = 2$. Thus number of daughters in the family is 4. So, option 1 is the correct answer.	Invalid
92	Translation error	47351644	Question not clearly understand and difficulty level also high	Let D and S be the number of Daughters & Sons respectively. Then we have: $D - 1 = S$ and $2(S - 1) = D$. Solving these two, we get $D = 4$ and $S = 2$. Thus number of daughters in the family is 4. So, option 1 is the correct answer.	Invalid
93	Multiple correct answers	47351644	2 is also correct answer	Let D and S be the number of Daughters & Sons respectively. Then we have: $D - 1 = S$ and $2(S - 1) = D$. Solving these two, we get $D = 4$ and $S = 2$. Thus number of daughters in the family is 4. So, option 1 is the correct answer.	Invalid
94	Incorrect answer key	47351644	Wrong AnswerPlease check Again	Let D and S be the number of Daughters & Sons respectively. Then we have: $D - 1 = S$ and $2(S - 1) = D$. Solving these two, we get $D = 4$ and $S = 2$. Thus number of daughters in the family is 4. So, option 1 is the correct answer.	Invalid
95	Incorrect answer key	47351645	as per statements Neeraj is an organised person so option 1 is correct. It is not necessary to consider Neeraj is an industrious person	Neeraj has a very busy schedule. This means that he is industrious. But still he finds time for rest. This means that he is an organised person. So, both conclusions I and II follow. Hence option 4 is the only correct answer.	Invalid
96	Incorrect answer key	47351645	Because 2nd conclusion ka koi relation nhi h 1st se	Neeraj has a very busy schedule. This means that he is industrious. But still he finds time for rest. This means that he is an organised person. So, both conclusions I and II follow. Hence option 4 is the only correct answer.	Invalid
97	Incorrect answer key	47351645	Key given was option 1 it says both conclusions are true. But conclusion 2 talks about industrious nature which was not given in question. Taking Neeraj as industrious person will only be assumption but it's not true as per question statements. I would suggest option 3 as correct answer which is apt for the given question. So please review it.	Neeraj has a very busy schedule. This means that he is industrious. But still he finds time for rest. This means that he is an organised person. So, both conclusions I and II follow. Hence option 4 is the only correct answer.	Invalid
98	Incorrect answer key	47351645	option no. 2 is correct.	Neeraj has a very busy schedule. This means that he is industrious. But still he finds time for rest. This means that he is an organised person. So, both conclusions I and II follow. Hence option 4 is the only correct answer.	Invalid
99	Incorrect answer key	47351645	In that question how come we can know neeraj is an industrious person, meaning of industrious is hard working, None of the two statements states he is industrious. In spite of his busy schedule does not mean he is industrious.Please correct the answer.	Neeraj has a very busy schedule. This means that he is industrious. But still he finds time for rest. This means that he is an organised person. So, both conclusions I and II follow. Hence option 4 is the only correct answer.	Invalid

100	Multiple correct answers	47351645	industries are organised sector but in the statement that is not mentioned so that only 1 follows or if we go beyond the statement and includes industrial sector in organised sector still the service sector is there it is not an industry but included in organised sector so only one follows i think if give both as the right options controverse may clear please consider my statements for correcting	Neeraj has a very busy schedule. This means that he is industrious. But still he finds time for rest. This means that he is an organised person. So, both conclusions I and II follow. Hence option 4 is the only correct answer.	Invalid
101	Any other mistake	47351645	Statement1)Neeraj is an organised person.2)Neeraj, in spite of his busy schedule, find time for rest.Neeraj is an organised person.But it can not proved by statements.Neeraj is an industrious person. Neeraj can be a artists, politicians, social worker ,government employee. So Neeraj is busy and find time for rest.So According to statements 1 and 2. Only conclusion 1 follow. So option 1 is correct.So my answer is correct.	Neeraj has a very busy schedule. This means that he is industrious. But still he finds time for rest. This means that he is an organised person. So, both conclusions I and II follow. Hence option 4 is the only correct answer.	Invalid
102	Incorrect answer key	47351645	conclusion 1 show all organised people find rest,so 1 conclusion is righthoption 3	Neeraj has a very busy schedule. This means that he is industrious. But still he finds time for rest. This means that he is an organised person. So, both conclusions I and II follow. Hence option 4 is the only correct answer.	Invalid
103	Incorrect answer key	47351645	in this question correct ans is 2	Neeraj has a very busy schedule. This means that he is industrious. But still he finds time for rest. This means that he is an organised person. So, both conclusions I and II follow. Hence option 4 is the only correct answer.	Invalid
104	Incorrect answer key	47351645	Neeraj is busy but that doesn't makes him industrious.OPTION 3 is correct than OPTION 2	Neeraj has a very busy schedule. This means that he is industrious. But still he finds time for rest. This means that he is an organised person. So, both conclusions I and II follow. Hence option 4 is the only correct answer.	Invalid
105	Incorrect answer key	47351645	busy schedule doesn't indicate he is an industrial person. As per statement he is an organised person, so only conclusion I follows.	Neeraj has a very busy schedule. This means that he is industrious. But still he finds time for rest. This means that he is an organised person. So, both conclusions I and II follow. Hence option 4 is the only correct answer.	Invalid
106	Difficulty level high	47351645	Option 4 "only conclusion 1 follows" could be the answer, because being busy means not industrious always. So, the perfect answer could be option 4.	Neeraj has a very busy schedule. This means that he is industrious. But still he finds time for rest. This means that he is an organised person. So, both conclusions I and II follow. Hence option 4 is the only correct answer.	Invalid
107	Incorrect answer key	47351645	Wrong AnswerPlz Check Again...	Neeraj has a very busy schedule. This means that he is industrious. But still he finds time for rest. This means that he is an organised person. So, both conclusions I and II follow. Hence option 4 is the only correct answer.	Invalid
108	Multiple correct answers	47351645	Service sector includes hospitals that are not comes under industry	Neeraj has a very busy schedule. This means that he is industrious. But still he finds time for rest. This means that he is an organised person. So, both conclusions I and II follow. Hence option 4 is the only correct answer.	Invalid

109	Difficulty level high	47351645	Out of syllabus	No, the question is asked from what is given in the syllabus.	Invalid
110	Incorrect answer key	47351645	This is the question of statement and conclusions so we have to make conclusions from the data given in statements , though industrious means hard working, but this data is not given in any of the statements so its accurate conclusion from the given data only is the- Neeraj is an organised person.	Neeraj has a very busy schedule. This means that he is industrious. But still he finds time for rest. This means that he is an organised person. So, both conclusions I and II follow. Hence option 4 is the only correct answer.	Invalid
111	Difficulty level high	47351645	its correct but its not directly mentioned in statements	Neeraj has a very busy schedule. This means that he is industrious. But still he finds time for rest. This means that he is an organised person. So, both conclusions I and II follow. Hence option 4 is the only correct answer.	Invalid
112	Incorrect / Ambiguous question	47351646	incorrectly designed	The pattern is $\div 6, \div 5, \div 4, \div 3$. Therefore the missing term is $2200 \div 4 = 550$. Hence option 3 is the only correct answer.	Invalid
113	Translation error	47351646	TRANSLATION INCORRECT	The pattern is $\div 6, \div 5, \div 4, \div 3$. Therefore the missing term is $2200 \div 4 = 550$. Hence option 3 is the only correct answer.	Invalid
114	Difficulty level high	47351649	So time consuming.	Person hear by 'ear' and as given, 'ear' is called 'neck'. So, 'neck' is the answer. Hence option 4 is the only correct answer.	Invalid
115	Incorrect answer key	47351649	If Ear is called Neck and Neck is called Mouth, then the answer would be Mouth.. Once verify that please	Person hear by 'ear' and as given, 'ear' is called 'neck'. So, 'neck' is the answer. Hence option 4 is the only correct answer.	Invalid
116	Incorrect answer key	47351649	In the question itself shows ear is neck and neck is mouth.	Person hear by 'ear' and as given, 'ear' is called 'neck'. So, 'neck' is the answer. Hence option 4 is the only correct answer.	Invalid
117	Multiple correct answers	47351649	Ear is called neck. But neck is called mouth.So person hear by neck, but neck is called mouth.So answer is mouth also consider Correct According to question.because neck is called mouth.So option 3 is also correct.	Person hear by 'ear' and as given, 'ear' is called 'neck'. So, 'neck' is the answer. Hence option 4 is the only correct answer.	Invalid
118	Multiple correct answers	47351650	21 also correct as missing sequence 42:21 gives 6:3 ratio.10:6 gives 5:3 ratio,so correct option is 21	The pattern is $x : (x \div 2 + 1)$. That is $10 : (10 \div 2 + 1 = 6)$. Hence $42 : 22$. Similarly $42 : (42 \div 2 + 1 = 22)$. So, option 3 is the only correct answer.	Invalid
119	Any other mistake	47351650	the question is incorrect or the answer is given incorrect.	The pattern is $x : (x \div 2 + 1)$. That is $10 : (10 \div 2 + 1 = 6)$. Hence $42 : 22$. Similarly $42 : (42 \div 2 + 1 = 22)$. So, option 3 is the only correct answer.	Invalid
120	All options incorrect	47351650	10:6::42:xHence, $10/6=42/x$ $x=42*6/10$ $x=252/10$ $x=25.2$	The pattern is $x : (x \div 2 + 1)$. That is $10 : (10 \div 2 + 1 = 6)$. Hence $42 : 22$. Similarly $42 : (42 \div 2 + 1 = 22)$. So, option 3 is the only correct answer.	Invalid

121	Incorrect / Ambiguous question	47351650	NO CORRELATION FOR THE TERMS GIVEN	The pattern is $x : (x \div 2 + 1)$. That is $10 : (10 \div 2 + 1 = 6)$. Hence $42 : 22$. Similarly $42 : (42 \div 2 + 1 = 22)$. So, option 3 is the only correct answer.	Invalid
122	Incorrect answer key	47351651	WHEN SEEN THROUGH MIRROR... 3.30 WILL APPEAR AS 9.30	When seen through a mirror, a clock shows 3:30, the correct time is 8.30. So, option 2 is the only correct answer.	Invalid
123	Incorrect / Ambiguous question	47351651	Question ask for time .but in mirror we can not change digits .If question say that in mirror 3.30 show which type of image of time or correct time image than we put 8.30 plz cack iy	When seen through a mirror, a clock shows 3:30, the correct time is 8.30. So, option 2 is the only correct answer.	Invalid
124	Incorrect / Ambiguous question	47351651	Framing of question is not proper	When seen through a mirror, a clock shows 3:30, the correct time is 8.30. So, option 2 is the only correct answer.	Invalid
125	Incorrect answer key	47351651	WHEN WE SEE THE CLOCK DIRECTLY THE TIME IS 09:30 BUT NOT 08:30. HENCE THE CORRECT ANSWER SHALL BE OPTION (4).	When seen through a mirror, a clock shows 3:30, the correct time is 8.30. So, option 2 is the only correct answer.	Invalid
126	Any other mistake	47351651	3:30 mirror image is 9:30 in mirror image left right are change	When seen through a mirror, a clock shows 3:30, the correct time is 8.30. So, option 2 is the only correct answer.	Invalid
127	Incorrect answer key	47351651	option no. 3 is correct.	When seen through a mirror, a clock shows 3:30, the correct time is 8.30. So, option 2 is the only correct answer.	Invalid
128	Incorrect answer key	47351651	when 3:30 will be seen in mirror it will show opposite that is 9:30 not 8:30	When seen through a mirror, a clock shows 3:30, the correct time is 8.30. So, option 2 is the only correct answer.	Invalid
129	Incorrect / Ambiguous question	47351651	8.30 is mirror image of 3.30 not correct time .bcz time is same always it is not change in any case .	When seen through a mirror, a clock shows 3:30, the correct time is 8.30. So, option 2 is the only correct answer.	Invalid
130	Incorrect answer key	47351651	In mirror clock shows time as 9.30 if the time is 3.30	When seen through a mirror, a clock shows 3:30, the correct time is 8.30. So, option 2 is the only correct answer.	Invalid
131	Incorrect / Ambiguous question	47351651	correct ans is 9.30	When seen through a mirror, a clock shows 3:30, the correct time is 8.30. So, option 2 is the only correct answer.	Invalid
132	Incorrect answer key	47351651	If mirror shows 3.30 the real time will be 9.30.because the mirror always shows opposite side of real image.then 3 opposite number is 9.so the real time should be 9.30	When seen through a mirror, a clock shows 3:30, the correct time is 8.30. So, option 2 is the only correct answer.	Invalid
133	Incorrect answer key	47351651	When we observe time in mirror 3:30 appears to be as 9;30. not as 8:30. i opted correct one	When seen through a mirror, a clock shows 3:30, the correct time is 8.30. So, option 2 is the only correct answer.	Invalid

134	Multiple correct answers	47351652	I think When our friend is not inviting to her birthday party it was not a big problem at all, a friend is always friend. if she invites or not, but we sincerely attend the party. Why because we are not his family members. She invites are not as a friend attends her party.	Though she is your friend she has not invited to the party it will not be good to attend the party as an uninvited friend. So, option 1 is the correct answer.	Invalid
135	Multiple correct answers	47351652	Both b and d options can choose for this question..there is an another possibility that..I should attend the party even though friend didn't invite me, because we are friends.	Though she is your friend she has not invited to the party it will not be good to attend the party as an uninvited friend. So, option 1 is the correct answer.	Invalid
136	Multiple correct answers	47351652	Since it says the friend has not invited me to a birthday party,then being angry and 'hold it against her'(option1) must be an appropriate answer than 'send her wishes'.Both of them can be an option.	Though she is your friend she has not invited to the party it will not be good to attend the party as an uninvited friend. So, option 1 is the correct answer.	Invalid
137	Multiple correct answers	47351652	FOR APPROPRIATE CORRECT ANSWERS... ANY OPTION COULD BE CORRECT... IT DEPENDS ON INDIVIDUAL THINKING	Though she is your friend she has not invited to the party it will not be good to attend the party as an uninvited friend. So, option 1 is the correct answer.	Invalid
138	Incorrect / Ambiguous question	47351652	Question is incorrect/not complete and could not be understood properly. The nature of question fails to stand good. If possible request you to explain the question for my enlightenment. my mail id is harishmysa.niper2013@gmail.comThank youSincerely	Though she is your friend she has not invited to the party it will not be good to attend the party as an uninvited friend. So, option 1 is the correct answer.	Invalid
139	Incorrect answer key	47351652	option no. 3 is correct.	Though she is your friend she has not invited to the party it will not be good to attend the party as an uninvited friend. So, option 1 is the correct answer.	Invalid
140	Multiple correct answers	47351652	Esme hm kisi ki mentality kese bta sakte h	Though she is your friend she has not invited to the party it will not be good to attend the party as an uninvited friend. So, option 1 is the correct answer.	Invalid
141	Incorrect answer key	47351653	option no.1 is correct.	An element identical to the existing element appears. It gets vertically inverted and gets attached to the existing element. Therefore option 2 is the only correct answer.	Invalid
142	Any other mistake	47351653	I selected correct option as 1 but answer sheet shows selected option as 3 so please review my answer sheet.	An element identical to the existing element appears. It gets vertically inverted and gets attached to the existing element. Therefore option 2 is the only correct answer.	Invalid
143	All options incorrect	47351653	In the question triangle is tilted to 45 degree and overlapped on previous triangle. then if square is tilte to 45 degree and overlapped then option 2 is not showing any overlapping so all options are incorrect	An element identical to the existing element appears. It gets vertically inverted and gets attached to the existing element. Therefore option 2 is the only correct answer.	Invalid
144	Incorrect answer key	47351653	Triangle will rotate 45 degrees to form the resulting figure likewise square will rotate 45 degrees to form option 3.	An element identical to the existing element appears. It gets vertically inverted and gets attached to the existing element. Therefore option 2 is the only correct answer.	Invalid

145	Incorrect answer key	47351654	correct ans is 1 you given 3rd option	<p>'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. 'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. From option 3: N is the grandfather of M. From option 4: M is either grandfather or grandmother of N. So, option 1 is the only correct answer. Therremaining three options are wrong.</p>	Invalid
146	Multiple correct answers	47351654	this question is having multiple answer		Invalid
147	Multiple correct answers	47351654	Option 2 also show the relation	<p>'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. 'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. From option 3: N is the grandfather of M. From option 4: M is either grandfather or grandmother of N. So, option 1 is the only correct answer. Therremaining three options are wrong.</p>	Invalid

148	Incorrect answer key	47351654	Option 1 shows that N is grand father of Mand Option 2 shows that M is grand father of NSo answer 2 is correct	'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. 'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N . From option 3: N is the grandfather of M. From option 4: M is either grandfather or grandmother of N. So, option 1 is the only correct answer. Therremaining three options are wrong.	Invalid
149	Incorrect answer key	47351654	option 3 is supposed to be correct.Since N+R+M refers to N is the daughter of R and R is daughter of M. Therefore N is grand daughter of M. Hence M is the grandfather of N.	'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. 'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N . From option 3: N is the grandfather of M. From option 4: M is either grandfather or grandmother of N. So, option 1 is the only correct answer. Therremaining three options are wrong.	Invalid
150	Incorrect / Ambiguous question	47351654	IN QUESTION ONLY X & Y INCLUDED... BUT IN ANSWERS R ,L,M,Q,S,N	'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. 'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N . From option 3: N is the grandfather of M. From option 4: M is either grandfather or grandmother of N. So, option 1 is the only correct answer. Therremaining three options are wrong.	Invalid

151	Multiple correct answers	47351654	Except 1st option all answers showing correct relationship between M and N	<p>'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. 'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. From option 3: N is the grandfather of M. From option 4: M is either grandfather or grandmother of N. So, option 1 is the only correct answer. Therremaining three options are wrong.</p>	Invalid
152	Incorrect / Ambiguous question	47351654	L=m means L is the father of M ,here gender of M is Unknown .In question M should be male ..so wrong answer... First option is correct sir	<p>'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. 'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. From option 3: N is the grandfather of M. From option 4: M is either grandfather or grandmother of N. So, option 1 is the only correct answer. Therremaining three options are wrong.</p>	Invalid
153	Multiple correct answers	47351654	option no. 3 is also correct.	<p>'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. 'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. From option 3: N is the grandfather of M. From option 4: M is either grandfather or grandmother of N. So, option 1 is the only correct answer. Therremaining three options are wrong.</p>	Invalid

154	Incorrect answer key	47351654	Q is mother of MM is father of RR is father of Nso M is the grand father of N1st option Q#M=R=N is the correct answer	'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. 'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N . From option 3: N is the grandfather of M. From option 4: M is either grandfather or grandmother of N. So, option 1 is the only correct answer. Therremaining three options are wrong.	Invalid
155	Multiple correct answers	47351654	2 options are correct	'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. 'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N . From option 3: N is the grandfather of M. From option 4: M is either grandfather or grandmother of N. So, option 1 is the only correct answer. Therremaining three options are wrong.	Invalid
156	Multiple correct answers	47351654	Both option 1&2 are correct	'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. 'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N . From option 3: N is the grandfather of M. From option 4: M is either grandfather or grandmother of N. So, option 1 is the only correct answer. Therremaining three options are wrong.	Invalid

157	Incorrect answer key	47351654	sir it will not indicate the grandfather so it should be in first option sir	<p>'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. 'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. From option 3: N is the grandfather of M. From option 4: M is either grandfather or grandmother of N. So, option 1 is the only correct answer. Therremaining three options are wrong.</p>	Invalid
158	Incorrect answer key	47351654	3rd answer is correct. Q#M=R=N.Q is the mother of M, who is the Father of R, who is the Father of N.	<p>'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. 'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. From option 3: N is the grandfather of M. From option 4: M is either grandfather or grandmother of N. So, option 1 is the only correct answer. Therremaining three options are wrong.</p>	Invalid
159	Incorrect answer key	47351654	Correct option is no 2	<p>'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. 'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. From option 3: N is the grandfather of M. From option 4: M is either grandfather or grandmother of N. So, option 1 is the only correct answer. Therremaining three options are wrong.</p>	Invalid

160	Multiple correct answers	47351654	The key is not correct. 2,4 options are correct.these options indicate M is grand father of N	<p>'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. 'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N . From option 3: N is the grandfather of M. From option 4: M is either grandfather or grandmother of N. So, option 1 is the only correct answer. Therremaining three options are wrong.</p>	Invalid
161	Multiple correct answers	47351654	Option 1 is also correct answer	<p>'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. 'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N . From option 3: N is the grandfather of M. From option 4: M is either grandfather or grandmother of N. So, option 1 is the only correct answer. Therremaining three options are wrong.</p>	Invalid
162	Incorrect answer key	47351654	Key given was option 1 as per option 1 M will not become grandfather of N. In fact in option 1 gender of M is unknown. The correct option would be option 2. In option 2 M is grandfather of N as per blood relation rules. So please review the given key.	<p>'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. 'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N . From option 3: N is the grandfather of M. From option 4: M is either grandfather or grandmother of N. So, option 1 is the only correct answer. Therremaining three options are wrong.</p>	Invalid

163	Difficulty level high	47351654	This question is very difficult and high level. Please add the marks for this.	<p>'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. 'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. From option 3: N is the grandfather of M. From option 4: M is either grandfather or grandmother of N. So, option 1 is the only correct answer. Therremaining three options are wrong.</p>	Invalid
164	Multiple correct answers	47351654	N\$R+S+MN\$R mean N is the brother of R.R+S mean R is the daughter of S.S+M mean S is the daughter of M.N and R is brother and sister. So N is the son of S and M is the father of S.So M is the Grandfather of N.So option 2 is correct. My answer is correct.	<p>'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. 'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. From option 3: N is the grandfather of M. From option 4: M is either grandfather or grandmother of N. So, option 1 is the only correct answer. Therremaining three options are wrong.</p>	Invalid
165	Incorrect answer key	47351654	Option 3 is the correct answer, this only follows the statement " M is the grandfather of N". Option 1 is incorrect because it follows the statement " N is the grandfather of M".	<p>'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. 'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. From option 3: N is the grandfather of M. From option 4: M is either grandfather or grandmother of N. So, option 1 is the only correct answer. Therremaining three options are wrong.</p>	Invalid

166	Difficulty level high	47351654	High level question and very confused and tuff question. So add the mark for this question.	'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. 'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N . From option 3: N is the grandfather of M. From option 4: M is either grandfather or grandmother of N. So, option 1 is the only correct answer. Therremaining three options are wrong.	Invalid
167	Incorrect answer key	47351654	Q is mother of M,M is father of R,R is father of N , hence M is a grand father of N	'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. 'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N . From option 3: N is the grandfather of M. From option 4: M is either grandfather or grandmother of N. So, option 1 is the only correct answer. Therremaining three options are wrong.	Invalid
168	Multiple correct answers	47351654	option 1 is also correct i.e N+R+M because N is daughter of R and R is daughter of M so finally M is grandfather of N.	'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N. 'R*N = S \$ L= M' means R is the sister of N; S is the father of N; S is the brother of L; M is the father of L. Thus, M is father of S and L; S is the father of R and N. Hence M is the grandfather of N. So, option 1 is the only correct answer. From option 2: M is either grandfather or grandmother of N . From option 3: N is the grandfather of M. From option 4: M is either grandfather or grandmother of N. So, option 1 is the only correct answer. Therremaining three options are wrong.	Invalid

169	Incorrect answer key	47351655	One teacher is responsible for 19 students, so for 1800 students it coming 94.4,so the final answer is 95	Clearly, out of every 20 persons, there is one student. So, number of teachers = $1800/20 = 90$. So, option 3 is the only correct answer.	Invalid
170	Incorrect answer key	47351655	Ans-95($1800/95=18.95=19$)key shows ans-90($1800/90=20$ not equal to 19)	Clearly, out of every 20 persons, there is one student. So, number of teachers = $1800/20 = 90$. So, option 3 is the only correct answer.	Invalid
171	Incorrect answer key	47351655	95 is the answer	Clearly, out of every 20 persons, there is one student. So, number of teachers = $1800/20 = 90$. So, option 3 is the only correct answer.	Invalid
172	Incorrect answer key	47351655	sir 95 is the correct answer	Clearly, out of every 20 persons, there is one student. So, number of teachers = $1800/20 = 90$. So, option 3 is the only correct answer.	Invalid
173	Incorrect answer key	47351655	actual answer is 95 please correct it	Clearly, out of every 20 persons, there is one student. So, number of teachers = $1800/20 = 90$. So, option 3 is the only correct answer.	Invalid
174	Any other mistake	47351655	$1800 / 19$ gives 95 so teachers are 95	Clearly, out of every 20 persons, there is one student. So, number of teachers = $1800/20 = 90$. So, option 3 is the only correct answer.	Invalid
175	All options incorrect	47351655	After solving question all option are incorrect	Clearly, out of every 20 persons, there is one student. So, number of teachers = $1800/20 = 90$. So, option 3 is the only correct answer.	Invalid
176	Incorrect answer key	47351658	6-french-2-115-hindi-16-english-2-1Two can speak 2languages and 1can speak all languagesSo total $27-4-3=20$		Invalid
177	Incorrect answer key	47351658	$6+15+6= 27 -(2+1)= 24$ correct ans sir		Invalid
178	Multiple correct answers	47351658	6 CAN SPEAK FRENCH, 6 ENGLISH, 15 FRENCH ... TOTAL 27 AMONG THOSE 2 CAN SPEAK 2 LANGUAGES ONE CAN SPEAK 3 LANGUAGES... IF WE DEDUCT $27-3 =24$ OR $27-4=23$ OR $27-2= 25$		Invalid
179	All options incorrect	47351658	correct option is 22		Invalid
180	Difficulty level high	47351658	high level question		Invalid
181	Difficulty level high	47351658	Total students speak different languages = $15+6+6 =27$ If 2 student in the group speak 2 language, one student speak all three languages.So in the 2 students , one student speak all three languages.otherwise 3 students in the group.So student in the class = $27-2 =25$	<p>French = $a + b + d + e = 6$; Hindi= $b + c + e + f = 15$; English = $d + e + f + g = 6$; $b + d + f = 2$; Students speaking 2 languages= $b + d + f = 2$; Students speaking 3 languages = $e = 1$;Solving these equations finally we get: $a + b + c + d + f + g = 22$ (or) $a + b + c + d + e + f + g = 23$. Therefore total number of students = 23. Hence option 2 is the only correct answer.</p>	Invalid
182	Incorrect / Ambiguous question	47351659	open to more than one interpretation...	Since both the premises are particular, so no definite conclusion follows. Hence option 4 is the only correct answer.	Invalid
183	Difficulty level high	47351659	Out of syllabus .	No, the question is asked from what is given in the syllabus.	Invalid

184	Incorrect answer key	47351659	in this question only conclusion 2 is follows.	Since both the premises are particular, so no definite conclusion follows. Hence option 4 is the only correct answer.	Invalid
185	Translation error	47351659	WHEN GIVEN ABOUT SOME PENS AND BOOKS.... HOW IT WILL BE ALL BOOKS AND PENS SAME	Since both the premises are particular, so no definite conclusion follows. Hence option 4 is the only correct answer.	Invalid
186	Any other mistake	47351659	Some books are peper Some pepars are pens Than option 1 st is favour So can say that some books are pen Plz check .	Since both the premises are particular, so no definite conclusion follows. Hence option 4 is the only correct answer.	Invalid
187	All options incorrect	47351660	1km in east then 5km in south thenagain 3km in eastfinally 9km in northAs he walked in north direction the south distance has to be minus from the north distance $9\text{km} - 5\text{km} = 4\text{km}$ and as he walked in the same direction i. e. east the distance needs $1\text{km} + 2\text{km} = 3\text{km}$ therefore the final distance from starting point to the to he is standing would be $4\text{km} + 3\text{km} = 7\text{km}$ but there is no option in the answer key mentioning 7km. even though if we supposed the slanting pathway i. e. from the start point to the end point the answer should come near to 6km to 5.5km (least probability) note:- the second time east walk 2km can not be minus from the remaining 4km from that of 9km.	The movements of Rakesh are as shown below: From the following figure, $DF = BC = 5\text{km}$. $EF = (DE - DF) = (9 - 5 = 4) = BF = CD = 2\text{km}$. $AF = AB + BF = AB + CD = 1+2 = 3\text{km}$. Therefore Rakesh's distance from the starting point $A = AE = \text{Square root of } AF^2 + EF^2 = \text{Square root of } 3^2 + 4^2 = 5\text{km}$. So, option 2 is the only correct answer.	Invalid
188	Any other mistake	47351661	I selected correct option 2 but in my response sheet shows selected option as 3 so please review my answer sheet	My option was 4. I think it is irrelevant- INVALID	Invalid
189	Incorrect / Ambiguous question	47351662	question is not correct	Q. asked from TOPIC 1.1, Subtopic-1.1.2. In course completion of diplom	Invalid
190	Incorrect / Ambiguous question	47351662	incorrect information	in course completion of diploma students will be familiarized with these	Invalid
191	Any other mistake	47351663	First I selected option 2 then click save &next but before submit i reviewed and selected option 2 which is correct option but it is not updated in my answer response sheet so please review my answer response sheet.	Query mentioned here is not relavent	Invalid
192	Incorrect answer key	47351663	Rey's syndrome caused by aspirin but not acetaminophen	Query mentioned here is not related to Q3	Invalid
193	Multiple correct answers	47351663	Diabetes insipidus characterised by thirst and heavy urination. Amiloride is a diuretic which increases urination so it is also not used in treatment of diabetes insipidus.	Query mentioned here is not related to Q3	Invalid
194	Multiple correct answers	47351664	here in this question as you have not mentioned the amount of pressure(psi) to be applied the option 4 i.e 115 -118c for 30min is also applicabe	The temperature 115-118 o is for aqueous / non-aqueous solutions and s	Invalid
195	Incorrect / Ambiguous question	47351664	fabricks are more sensitive then surgicals and optimum temprature for autoclave is 115-120 . for minimum half an hour is must for surgicals but not for fabricks	autoclave temperature-121°C - 122°Cfor 15 min is for Surgical dressings a	Invalid
196	Multiple correct answers	47351665	Magnesium Trisilicate is also used as Saline cathartics. Hence, Magnesium Sulphate and Megnesium Trisilicate both are answer.	MAGNESIUM TRISILICATE used as Antacid not saline cathratics	Invalid

197	Incorrect answer key	47351666	CALAMINE LOTION CONTAINS ZINC OXIDE AND FERRIC OXIDE	yes. Reference;text book of pharmaceutical inorganic chemistry V.N Raja	Invalid
198	Incorrect answer key	47351666	Calamine is a combination of zinc oxide n titanium dioxide	zinc oxide and small portion of ferric oxide. Reference;text book of pharm	Invalid
199	Multiple correct answers	47351666	Multiple answers	No. Reference;text book of pharmaceutical inorganic chemistry V.N Raja	Invalid
200	All options incorrect	47351667	on	Not clear	Invalid
201	Difficulty level high	47351667	As per Syllabus given for the exam, It does not contain Titration part. Hence this question is Out of Syllabus.	Syllabus was not specific and descriptive therfore I relied on specific dipl	Invalid
202	All options incorrect	47351667	Calcium gluconate can be assayed by titrimetric system only.	Calcium gluconate is assayed by Complexometric titration. Given in IP	Invalid
203	Incorrect answer key	47351667	incorrect answer key	Answer is correct. Reference IP 1996 and Reference;text book of pharma	Invalid
204	Multiple correct answers	47351668	Clearing and forwarding agent means not only submitting sales tax but also collect the returned goods from the market and replacement as per the policies of the company. and also 3rd option maintaining the adequate stock in the company is the function of clearing and forwarding agent.	Topic 2.5, subtopic-2.5.1, option1-To submit the sales tax and other ret	Invalid
205	Multiple correct answers	47351668	The function of clearing and forwarding agent is warehousing and replacement collection and maintaining the warehousing with adequate stock for forwarding. So not only correct answer 1st , the 2nd and 3rd answer also correct.	option1-To submit the sales tax and other returns to the respective auth	Invalid
206	Incorrect answer key	47351668	Answer is given "submit sales Tax and" but if we search in litrature the answer found different.	Reference: Principle and practice of drug store administration, Mahesh D	Invalid
207	Any other mistake	47351668	The question was "which of the following is the function of clearing and forwarding agent?" First of all no such concept of clearing and forwarding agent is available in dispensing or retail pharmacy. It is mainly deal "with the import and export of goods". Hence in such question either all options should be treated as wrong or the one option should be given dealing with maintenace of records of important and export of goods or medicine. So question may be treated as out of syllabus or closely related option wasn't provided in options.	Q. is taken from D. Pharm syllabus given under the Topic 2.5, subtopic-2.	Invalid
208	Difficulty level high	47351668	Clearing and forwarding agent not given in D pharmacy syllabus.	It is within the syllabus only.	Invalid
209	Multiple correct answers	47351669	Indian Senna is adulterated with c.auriculata and c.obovata (Dog Senna). But answer given only for c.auriculata. Reference : pharmacognosy by c.k.kokate and Gokhale	My question is focused on Adulterant and not on the substituent. The qu	Invalid
210	Multiple correct answers	47351669	C. obovata and C. auriculata both are adulteratants of Indian Senna so please tell me the right answer of this Question.		Invalid
211	Multiple correct answers	47351669	Option A and option B both are correct..so get marks for who chosen option A or option B	option 2 is correct. Option 1 is substituent.	Invalid

212	Multiple correct answers	47351669	Cassia obovata, Arabian senna and cassia auriculata are adulterants of Indian senna.	My question is focused on Adulterant and not on the substituent. The qu	Invalid
213	Incorrect answer key	47351669	Indian senna is adulterated with cassia angustifolia, Palthe senna is adulterated with cassia auriculata	My question is focused on Adulterant and not on the substituent. The qu	Invalid
214	Multiple correct answers	47351669	Indian Senna is found to be adulterated with Dog senna (C.obovata), Palthe senna (C.auriculata) and Mumbai, Mecca and Arabian senna Reference Pharmacognosy Book C.K. Kokate 48th edition Chapter 9 Drug containing glycosides	My question is focused on Adulterant and not on the substituent. The qu	Invalid
215	Multiple correct answers	47351669	(1) Kokate C K, Purohit A P, Gokhale S B, Pharmacognosy 42nd edition, Nirali prakashan, Page no 8.9-8.14 According to this reference casia obovata (dog senna) and casia auriculata (palthe senna) both are adulterant and substitutes of indian senna. (2) Trease and Evans, Pharmacognosy 16th edition, Saunders elsevier publication, page no 238-239 According to this reference casia obovata (dog senna) and casia auriculata (palthe senna) are in allied and adulteration category. please benefit this mark.	Casia obovata is a substituent because it is having anthroquinone glycosi	Invalid
216	Incorrect answer key	47351669	C.angustifolia adulterants is arabian senna not c. auriculata and auriculata is adulterant of palthe senna not vc.angustifolia	C. angustifolia is also a substituent having anthr	Invalid
217	Multiple correct answers	47351669	(1) Kokate C K, Purohit A P, Gokhale S B, Pharmacognosy 42nd edition, Nirali prakashan, Page no 8.9-8.14 According to this reference casia obovata (dog senna) and casia auriculata (palthe senna) both are adulterant and substitutes of indian senna. (2) Trease and Evans, Pharmacognosy 16th edition, Saunders elsevier publication, page no 238-239 According to this reference casia obovata (dog senna) and casia auriculata (palthe senna) are in allied and adulteration category.	Reference is correct. It is given under substituent and adulterant. Only C.	Invalid
218	Multiple correct answers	47351669	Both Cassia obovata and Cassia auriculata are considered to be adulterants of Cassia angustifolia. Therefore options 1 & 4 are correct.	No. Cassia obovata is a substituent. Therefore	Invalid
219	Multiple correct answers	47351669	Dear sir Indian Senna or tinbevelly Senna can be adulterated with dog Senna cassia obovata, palthe Senna (cassia auriculata) Reference pharmacognosy by c.k.kokate a.p.purohit	My question is focused on Adulterant and not on the substituent. The qu	Invalid

220	Multiple correct answers	47351669	Dear Madam/ Sir,"Text book of Pharmacognosy by C. K. Kokate, S. B. Gokhale, A.P. Purohith, of Nirali Prakashan" is one of the recommended books in Proposed amendments of Pharmacy Council of India for studying Pharmacognosy in Diploma of Pharmacy Course. On it's latest editions' page number 9.28, under the heading of adulterants and substitutes of Indian Senna, It is clearly mentioned that Indian Senna is found to be adulterated with Cassia obovata, Cassia auriculata and Mumbai, Mecca and Arabian Senna. Hence the choices of 1, 2, and 3 are correct among 4 choices of given answer.So, please do the worthwhile as soon as possible.Thanks.	My question is focused on Adulterant and not on the substituent. The qu	Invalid
221	Multiple correct answers	47351669	INDIAN SENNA IS ADULTARED WITH C.OBOVATASOURCE- TEXT BOOK OF PHARMACOGNOSY C.K. KOKATE FOURTY SEVENTH EDITION VOLUME 1 PAGE-8.13	My question is focused on Adulterant and not on the substituent. The qu	Invalid
222	Multiple correct answers	47351669	C.obovata(dog senna)(option 3) is an important adulterant of Indian senna and C.auriculata is also an adulterant.Thus both are true.Reference:Pharmacognosy by C.K..Kokate(pg no.:8.13)	My question is focused on Adulterant and not on the substituent. The qu	Invalid
223	Incorrect answer key	47351669	C. augustifolia is correct	My question is focused on Adulterant and not on the substituent. The qu	Invalid
224	Multiple correct answers	47351669	According to the textbook of pharmacognosy by gokhale, kokate and purohit C.auriculata, c. Obovata as well as Arabian Senna are the adulterants of India senna	My question is focused on Adulterant and not on the substituent. The qu	Invalid
225	Multiple correct answers	47351669	Arabain senna also adultrant	My question is focused on Adulterant and not on the substituent. The qu	Invalid
226	Multiple correct answers	47351669	Arabain senna also adultrant	My question is focused on Adulterant and not on the substituent. The qu	Invalid
227	Multiple correct answers	47351669	Indian senna also adulterated with Arabian senna as per murugesh page no.45	My question is focused on Adulterant and not on the substituent. The qu	Invalid
228	Multiple correct answers	47351669	Indian senna also adulterated with Arabian senna as per murugesh book page no.45	My question is focused on Adulterant and not on the substituent. The qu	Invalid
229	Multiple correct answers	47351669	Option 3 and 4 are correct answers, as Indian senna is adultrated with Cassia obovata and Cassia auriculata.Reference : page no. 9.28, 48th edition Pharamacognosy book by c.k kokate et al.	My question is focused on Adulterant and not on the substituent. The qu	Invalid
230	Multiple correct answers	47351669	Indian Senna adulterated with C. Obovota, C. auriculata , Arabian senna	My question is focused on Adulterant and not on the substituent. The qu	Invalid
231	Multiple correct answers	47351669	C.auriculata and C. obavata both are adulterants of Indian senna	My question is focused on Adulterant and not on the substituent. The qu	Invalid
232	Multiple correct answers	47351669	Indian senna also called Tinnevelly senna is adulterated with C.Auriculata (Palthe senna) and C.OBOVOTA (Dog senna).Answer given for c.auriculata only. need to be given for C.obovata also.(options 1 and 2 are correct)Reference : Pharmacognosy by C.K.Kokate , A.P.Purohit, S.K.Gokhale	My question is focused on Adulterant and not on the substituent. The qu	Invalid
233	Multiple correct answers	47351669	Indian senna is adultrated with c.obivata,c.arikulata and arebian senna also	My question is focused on Adulterant and not on the substituent. The qu	Invalid

234	Multiple correct answers	47351669	casia angustifolia c. auricalatac obovata are the adulterant of indian senna	My question is focused on Adulterant and not on the substituent. The qu	Invalid
235	Incorrect answer key	47351669	indian senna is adulterated by arabian senna...	My question is focused on Adulterant and not on the substituent. The qu	Invalid
236	Incorrect answer key	47351669	answer is arabian senna your ansewer wrong pls refer once kokate text book	My question is focused on Adulterant and not on the substituent. The qu	Invalid
237	Multiple correct answers	47351669	Sabi senna ke adulterants h	My question is focused on Adulterant and not on the substituent. The qu	Invalid
238	Incorrect answer key	47351669	your answer key given is incorrect	correct. My question is focused on Adulterant and not on the substituent	Invalid
239	Multiple correct answers	47351669	Indian senna adulterated with Arabian senna, dog senna	My question is focused on Adulterant and not on the substituent. The qu	Invalid
240	Multiple correct answers	47351669	INDIAN SENNA CAN BE ADULTERATED WITH C.AURICULATA AND C.OBOVATA	My question is focused on Adulterant and not on the substituent. The qu	Invalid
241	Incorrect answer key	47351669	Indian senna is adulterated with Arabian senna	My question is focused on Adulterant and not on the substituent. The qu	Invalid
242	Multiple correct answers	47351669	Source: C.K KOKATE PHARMACOGNOSY CHAPTER -8 DRUG CONTAINING GLYCOSIDES PAGE -174-179 UNDER HEADING ADULTERANTS AND SUBSTITUTESMENTIONED AS "TINNEVELLY SENNA (INDIAN SENNA) IS FOUND TO BE ADULTERATED WITH DOG SENNA(C.obovata),Palthe senna (C.auriculata) and mumbai,Mecca and Arabian senna mild of C.angustifolia from Arabica."As per this information option-1 Arabian senna can also be correct kindly review and re-score.	NO. My question is focused on Adulterant and not on the substituent. Th	Invalid
243	Incorrect answer key	47351671	Aspirin is right answer, in all books	Query raised was not relavent to Q11	Invalid
244	Incorrect answer key	47351672	incorrect answer key	Correct. Option 2- vinca	Invalid
245	Incorrect answer key	47351672	opium contains indole ring.		Invalid
246	Any other mistake	47351673	I CHOOSE OPTION 1-NIACIN BUT IN MY ANWSER SHHET IT IS SHOWING OPTION 3- VIT B6. PROBABLY THIS DUE TO THE TECHNICAL ERROR OF THE SYSTEM . UNDER THIS SITUATION IT IS MY EARNEST REQUEST TO YOU TO PLEASE SOLVE MY PROBLEM. YOUR CO-OPERATION WILL BE HIGHLY SOLICITED IN THIS REGARD	Irrelavent	Invalid
247	Multiple correct answers	47351674	ph must having 1.5 - 4.0	Given answer is correct from all the text book. Intestinal ph slightly alkali	Invalid
248	Incorrect answer key	47351674	pH of intestinal juice acidic in nature...	Given answer is correct from all the text book. Intestinal ph slightly alkali	Invalid
249	Any other mistake	47351674	I selected correct option 4 but in my response sheet show selected selected option 3 which is wrong so please review my answer sheet .	option is 3 only	Invalid
250	Incorrect answer key	47351674	intestinal juice ph is 2-4 while ph of intestine is 7-9.	Given answer is correct from all the text book. Intestinal ph slightly alkali	Invalid
251	Multiple correct answers	47351674	this is where predigestion occur s while the lour portion of the stomach is secreting HCL and pepsin until it reaches a PH between 1.5 - 4.0.	Given answer is correct from all the text book. Intestinal ph slightly alkali	Invalid
252	Difficulty level high	47351675	Very wierd question.	Very basic. Coming within the syllabus. Topic 1.5. sub-topic: 1.5.8, Anat	Invalid
253	Incorrect / Ambiguous question	47351676	it is not correct question	Q. and options given were correct.	Invalid
254	Multiple correct answers	47351677	sir first two options are correct means vitamins and glucose also absorbed by passive diffussion only..	Given option 2 is correct. Glcose, aminoacids, vitamins, bicarbonates, so	Invalid
255	Incorrect answer key	47351677	given answer key is incorrect	Given option 2 is correct. Glcose, aminoacids, vitamins, bicarbonates, so	Invalid
256	Multiple correct answers	47351677	Sodium, glucose,vitamins,amino acid can also be reabsorbed from proximal convoluted tubule.	Given option 2 is correct. Glcose, aminoacids, vitamins, bicarbonates, so	Invalid

257	Any other mistake	47351677	I selected option 1 but I'm my response sheet shows selected option 4 so please review my answer sheet .	Given option 2 is correct. Glucose, aminoacids, vitamins, bicarbonates, so	Invalid
258	Multiple correct answers	47351677	In Proximal convoluted tubule not only reabsorbs Chlorides,Sulphate,Phosphate and Urea but also reabsorbs Sodium, Glucose, nutrients, Amino acids and potassium hence options 1st , 2nd , 4th also answer. So all are correct options.	Given option 2 is correct. Glucose, aminoacids, vitamins, bicarbonates, so	Invalid
259	Incorrect answer key	47351677	Right answer for this question is Option no.1 because Proximal Convoluted Tubule reabsorbs essential elements of the body like Glucose, Amino acids and Vitamins which is given in Option no.1. Hence Given answer is Incorrect.	Given option 2 is correct. Glucose, aminoacids, vitamins, bicarbonates, so	Invalid
260	Multiple correct answers	47351677	glucose and amino acid 100% reabsorb but urea is 50% and phosphate 80% reabsorb from proximal distal tubules so answer is also right	Given option 2 is correct. Glucose, aminoacids, vitamins, bicarbonates, so	Invalid
261	Multiple correct answers	47351677	Multiple answers	Given option 2 is correct. Glucose, aminoacids, vitamins, bicarbonates, so	Invalid
262	Incorrect answer key	47351677	Sodium is the major ion which is reabsorbed from proximal convoluted tubule	Given option 2 is correct. Glucose, aminoacids, vitamins, bicarbonates, so	Invalid
263	Multiple correct answers	47351677	In the proximal convoluted tubule(PCT) reabsorbs Chlorides, Sulphate, Phosphate, and Urea but also reabsorbs Sodium, Glucose, Nutrients, Potassium and Amino acids. So answer 1st, 2nd, 3rd also correct.	Given option 2 is correct. Glucose, aminoacids, vitamins, bicarbonates, so	Invalid
264	Difficulty level high	47351678	NONLIN programme question is very tuff and high level question...please delete the question or give the marks for this.	It is within the syllabus ,difficult level &extended thinking. Topic 2.6, subtopic2.6.1. Reference ;A textbook of hospital and clinical pharmacy Anees siddiqui parverz &seemi siddiqui 1st edition.	Invalid
265	Difficulty level high	47351678	out of syllabus	TOPIC-2-6, Sub-topic-2.6.1	Invalid
266	Difficulty level high	47351678	NONLIN programme is not in given D pharmacy syllabus. difficulty level is high.	Evaluation information or extended thinking. Difficult level	Invalid
267	Difficulty level high	47351678	This question not a diploma level question this is very high level question. We never heard and not studied. So delete or add the mark for this question.	Evaluation information or extended thinking.	Invalid
268	Incorrect / Ambiguous question	47351678	NONLIN is incorrect word. i have not read such word in Pharmacy textbook.It should be Non-linear. That shows pharmaco kinetic property.So Question was wrong.	Difficult level	Invalid
269	Difficulty level high	47351680	This question is very high level. We never read and never see in books i searched so many books and in google also I did not get question. Please add the mark for this question.	Given in book. Health education and Community Pharmacy, N. K. Jain, 1st	Invalid
270	Difficulty level high	47351680	Nesfield tablet not given in D pharmacy syllabus.	TOPIC 1.6. SUB-TOPIC-1.6.4	Invalid

271	Difficulty level high	47351680	Highlevel question and very tuff. I read many books I never found this question. Please add the marks for this question.	Evaluation information, difficult level	Invalid
272	Incorrect / Ambiguous question	47351680	Nesfield is a method of purification of water but in question it's given as nesfield Tablet. In nesfield method iodine , sodium iodide and citric acid used for purification of water.Question need to be cancelled.	Reference: Health education and Community Pharmacy, N. K. Jain, 1st e	Invalid
273	Difficulty level high	47351680	Not understand	Difficult level	Invalid
274	Difficulty level high	47351680	high level question	yes.	Invalid
275	Incorrect / Ambiguous question	47351680	Dear Madam/ Sir,Nesfield Tablet is neither a trademarked name for any tablet nor a single tablet. So, this question must have a language like "Tablets used in Nesfield's Method Contains" instead of "Nesfield Tablet Contains".It's actually, a mixture of two tablets used for purifying drinking water and sterilizing water. One of them contains mixture of iodide and iodate of sodium and other one contains citric acid. And when these two mixed in water, liberates iodine for it's bactericidal power. And answers included Iodine (which is a by-product) among their main ingredients while leaving behind Sodium Iodate (which is among main ingredient).My source of information includes- https://pdfs.semanticscholar.org/df22/c410d7f158f3886d70cdd779545dae0745a8.pdf So, Madam/Sir, as this question have quite a lot of ambiguities both in it's language and also in answer choices, this must be a bonus mark question.So, please do the worthwhile as soon as possible.Thanks.	Difficult level. Need extended thinking. Ref: Health education and Com	Invalid
276	Multiple correct answers	47351681	Trench fever caused by rickettsi bacterium, it is also called as rickettsi quintana	Given option is correct,rickett bacterium not given.	Invalid
277	Difficulty level high	47351681	NOT INCLUDED IN THE SYLLABUS	Topic 1.6, sub-topic 1.6. 5	Invalid
278	Any other mistake	47351681	I selected correct option which is option 4 but in my response sheet shows selected option 2 so please review my response sheet	option is 1	Invalid
279	Multiple correct answers	47351682	Good	ok	Invalid
280	Difficulty level high	47351682	National leprosy programme is not mentioned in syllabus of allopathy, we studied only antileprotic drugs. It is ok if this question is asked in general knowledge section but here in allopathy section difficulty level of question is high	TOPIC 1.6. SUBTOPIC- 1.6.6	Invalid
281	Multiple correct answers	47351683	Oral poilio is also inactive vaccine.....	in course completion of diploma students will be familiarized with these	Invalid
282	Any other mistake	47351683	I selected correct option 3 but in my answer sheet selected option 2 which is wrong answer so please review the my answer sheet	OPTION 4 IS CORRECT	Invalid
283	Multiple correct answers	47351683	Oral polio ia also not a live attenuated vaccine	in course completion of diploma students will be familiarized with these	Invalid

284	Incorrect answer key	47351683	LIVE ATTENUATED VACCINE IS PRESENT IN ALL EXCEPT MEASELS	in course completion of diploma students will be familiarized with these	Invalid
285	Multiple correct answers	47351684	Warferin is also correct.EDTA is most appropriate for this question.	NOT RELAVENT TO Q.24	Invalid
286	Any other mistake	47351684	As per hospital & Clinical pharmacy theory and Practical by Dr.Pratibha Nand &Dr. Roop K.Khar page No.259 . For this question correct answer is Occassionally (as needed)...so correct option for this is 2 ...so please consider my objection on this question ...key option is wrong.	OPTION4. Introduction to pharmaceutics – II, Ashok K. Gupta, 4th edition	Invalid
287	Any other mistake	47351685	First I selected option 4 then click on save & next but before submit I reviewed and selected option 2 which is correct answer so please consider my request and review the my answer sheet	Deviating from the questionier	Invalid
288	Incorrect answer key	47351685	incorrect answer key	Correct. Option 2-	Invalid
289	Any other mistake	47351686	I selected correct option 2 but in my answer sheet shows selected option as 1 which is wrong so please review the my answer sheet	option 3	Invalid
290	Incorrect answer key	47351686	antifungal is also can be answer	Anti fungal is the answer	Invalid
291	Incorrect answer key	47351686	Any other option may be correct but First option is not correct.	yes	Invalid
292	Multiple correct answers	47351686	The answer is given Antifungal ointment but sometimes it is prescribed in bacteria skin infection like acne vulgaris etc. So Antibiotic and antifungal both options could be right	option 3, Antifungal only. Introduction to pharmaceutics – II, Ashok K. Gu	Invalid
293	Multiple correct answers	47351686	Benzoic acid,salicylic acid,nystatin ointment also used as anti eczematious purpose	Wrong, Reference: Introduction to pharmaceutics – II, Ashok K. Gupta,	Invalid
294	All options incorrect	47351688	sodium chloride is 8.60% not 0.86%	8.6 % is wrong. See the unit.	Invalid
295	All options incorrect	47351688	Ringer lactate solution contain Lactate- 28 m eq or sometimes it also contain sodium lactate. So option given in the question is incorrect.	deviating from the questionier	Invalid
296	Multiple correct answers	47351688	Respected sir, according to some sources the ringers solutions contain lactic acid also..		Invalid
297	Incorrect answer key	47351688	you gave the answer key wrong	option is 2. KEY IS CORRECT	Invalid
298	Incorrect / Ambiguous question	47351688	The question was asked?that what is the composition "Ringers injection"? Instead of Ringers injection it should be Ringer lactate injection! Or If it was the Question related to Ringer injection only then? options might eiven wrongly . Because Ringers injection contain only 0.9 % of Nacl. Hence it was ambiguous question in both ways either options should be treated as wrong or directly question should be treated as wrong .	Don't deviate	Invalid
299	Incorrect answer key	47351689	Reye syndrome is due to risk of drug aspirin .	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
300	Incorrect answer key	47351689	reye syndrome is related with aspirin	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid

301	Incorrect answer key	47351689	Reye syndrome caused with aspirin not acetoaminophen(pcm) so right answer is aspirin	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
302	Incorrect answer key	47351689	Reyes syndrome characterized by fatty charge in the liver and endematous encephalopathy following ASPIRIN use (or) Reyes syndrome occurs in children who have a recent viral infection such as chickenpox or flu taking ASPIRIN to treat such infection .	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
303	Incorrect answer key	47351689	Right Answer is Aspirin (Reference Essential of Medical Pharmacology, K.D. Tripathi, 6 th Edition Chapter No. 14, Page no.189 Second Last Paragraph)	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
304	Multiple correct answers	47351689	The drug which indicated for patients at risk of Reye disease is? Answer given by you: Acetaminophen My explanation is that Ibuprofen also one of the drug of choice for the treatment of Reye disease.	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
305	Incorrect answer key	47351689	Tripathi K D, Essentials of Medial Pharmacology, 6th edition, Jaypee brother medical Publishers (P) Ltd, Page no 187-189. Asprin shows this indication. please have a look.	Correct reference. Aspin is contraindicated for the patient at the risk of R	Invalid
306	Incorrect answer key	47351689	Tripathi K D, Essentials of Medial Pharmacology, 6th edition, Jaypee brother medical Publishers (P) Ltd, Page no 187-189 please have a look.	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
307	Incorrect answer key	47351689	reye syndrome is side effect of aspirin and this drugs is not useful for below the 12 years children . so the right answer of this question is aspirin.	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
308	Incorrect answer key	47351689	reye syndrome is side effect of aspirin and this drugs is not useful for below the 12 years children . so the right answer of this question is aspirin.	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
309	Multiple correct answers	47351689	first three options are right	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
310	Incorrect answer key	47351689	AS PER BOOK ESSENTIAL OF PHARMACOLOGY BY K D TRIPATHI. ASPIRIN IS CAUSING REYE SYNDROME AS ADVERSE EFFECT NOT ACETAMINOPHEN. SO CORRECT ANSWER IS ASPIRIN NOT ACITAMINOPHEN	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
311	Incorrect answer key	47351689	Aspirin is the correct answer.....	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
312	Incorrect answer key	47351689	Aspirin is risk of ryes syndrome in children	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
313	Incorrect answer key	47351689	Respected sir, after referring some books and online sources the correct ans for this question is: Aspirin	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
314	Incorrect answer key	47351689	Reye syndrome caused due to Aspirin and not due to acetaminophen .	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
315	Multiple correct answers	47351689	Soory indomethacin can be another alternative My earlier objection to this question was wrong	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
316	Incorrect answer key	47351689	you gave incorrect answer key . actually it is aspirin	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
317	Incorrect answer key	47351689	Reyes syndrome is caused by Aspirin	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
318	Incorrect answer key	47351689	answer is asprin your answer acetaminophene in corect	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
319	Incorrect answer key	47351689	reys syndrome caused by aspirin tablet	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid

320	Incorrect answer key	47351689	Right answer is asprine	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
321	Incorrect answer key	47351689	The should be "Aspirin".Aspirin cause Reye syndrome.	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
322	Incorrect answer key	47351689	Reyes syndrome is caused due to aspirin.	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
323	Incorrect answer key	47351689	Reye syndrome caused by ASPIRIN. Reye's syndrome is a rare but serious disease that causes swelling in the liver and brain. It can affect people of any age, but it is most often seen in children and teenagers recovering from a virus such as the flu or chickenpox.Studies have found that the main risk factor for Reye's syndrome is taking aspirin or other related drugs, called salicylates	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
324	Incorrect / Ambiguous question	47351689	aspirin is contra indicated in reye syndrome not 'indicated'	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
325	Multiple correct answers	47351689	REYES SYNDROME CAN BE TREATED BY ASPIRIN, INDOMETHACIN AND IBUPRFEN ALSO... GIVEN MULTIPLE ANSWERS	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
326	Incorrect answer key	47351689	Option No.1 Aspirin is the right answer for this question because in more than 90 % of the case of Reye's Syndrome in children is associated with Aspirin. Hence, the given answer key is incorrect for this question.	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
327	Incorrect answer key	47351689	Aspirin also risk factior to reye syndrome	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
328	Multiple correct answers	47351689	Patients with risk of Reye Syndrome can be use alternative to aspirin like paracetamol (acetaminophen) or ibuprofen	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
329	Incorrect / Ambiguous question	47351689	Aspirin is responsible for Rey's syndrome not acetaminophen	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
330	Incorrect answer key	47351689	Reye's syndrome effect is due to Aspirin, not due to acetaminophen	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
331	Multiple correct answers	47351689	aspirin causes the Reyes syndrome	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
332	Multiple correct answers	47351689	aspirin greatly increase the risk of reye's. specially in children	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid

333	Incorrect answer key	47351689	As per google "Reye's syndrome is a rare disorder that causes brain and liver damage. ... Reye's syndrome usually occurs in children who have had a recent viral infection, such as chickenpox or the flu. Taking aspirin to treat such an infection greatly increases the risk of Reye's. Both chickenpox and the flu can cause headaches."2-KDT TRIPATHI BOOK OF PHARMACOLOGY CHAPTER -14 NASIDS AND ANTIPYRETIC-ANALGESIC PAGE-189 UNDER ADVERSE EFFECTS PART (C) MENTIONED AS"aspirin therapy in children with reumatiod arthrities has been found to raise serum transaminase,indicating liver damage. Most cases are asymptomatic but it is potentially dangerous. An association between salicylate therapy and reye's syndrome, a rare form of hepatic encephalopathy seen in children having viral (varicella,influenza) infection has been noted As per above information Aspirin option 4 can also be the correct answer kindly review and re-score..	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
334	Incorrect answer key	47351689	Rey syndrome will occur due to Asprin	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
335	Any other mistake	47351689	ACCORDING TO THE STANDARD BOOK THE ANSWER WILL BE ASPIRIN BECAUSE REYE SYNDROME HAS A INDICATION OF ASPIRIN .	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
336	Incorrect answer key	47351689	Reye's syndrome is a rare disorder that causes brain and liver damage. ... Reye's syndrome usually occurs in children who have had a recent viral infection, such as chickenpox or the flu. Taking aspirin to treat such an infection greatly increases the risk of Reye's.Pugliese, A; Beltramo, T; Torre, D (October 2008). "Reye's and Reye's-like syndromes". Cell biochemistry and function. 26 (7): 741–6.	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
337	Incorrect answer key	47351689	Reye syndrome associated with aspirin	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
338	Multiple correct answers	47351689	in aspirin therapy REYES syndromes in seen in children having viral infection more detail you can get information in KD tripathi page no 189	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
339	Incorrect answer key	47351689	Rey syndrome is caused by aspirin	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
340	Multiple correct answers	47351689	Reyes syndrome usually occur in children who have had a recent viral infection ,such chickenfox,flu.so taking ASPIRIN to treat such infection . (OR) Reyes syndrome characterized by fatty change in liver and edematous encephalopathy following ASPIRIN is used.	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
341	Incorrect answer key	47351689	Aspirin is the answer	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid

342	Multiple correct answers	47351689	Option 2 and 3 are correct answers, because both acetaminophen and ibuprofen are indicated safe to treat reye's syndrome.Refer: https://www.mayoclinic.org/diseases-conditions/reyes-syndrome/symptoms-causes/syc-20377255	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
343	Incorrect answer key	47351689	Reye Syndrome is caused by Asprin (Salicylic acid) but answer is given Acetaminophen which is incorrect.The correct answer is (4).Asprin	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
344	Incorrect answer key	47351689	incorrect answer is provided	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
345	Incorrect answer key	47351689	ASPIRIN IS MAINLY RESPONSIBLE FOR REYE SYNDROMESOURCE- TEXT BOOK OF PHARMACOLOGY,TARA V SHANBHAGPAGE-208, REPRINTED EDITION-2012	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
346	Incorrect answer key	47351689	Ans. 2(aspirine)	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
347	Incorrect answer key	47351689	Correct answer is Aspirin because Ray's syndrome is the adverse effect of Aspirin	Aspin is contraindicated for the patient at the risk of Reye syndrome. Dru	Invalid
348	Multiple correct answers	47351690	FREE AMINO GROUP IS PRESENT IN SULPHATHIOZOLE ALSO BUT WITH SUBSTITUTIONS LIKE SULPHYL AND PTHAYL HAS GIVEN ALONG WITH SOLAPSONE	Sulphacetamide. Text Book of Medicinal Chemistry Volume II, K. Ilango a	Invalid
349	Multiple correct answers	47351690	50% urea also get reabsorbed from Proximal Convulated tube.	Deviated from Q30	Invalid
350	Any other mistake	47351691	I selected option 4 which is correct but in my response sheet shows selected option as 1 so please review my answer sheet	option 3 is correct	Invalid
351	Multiple correct answers	47351692	in this question the first option SULPHAMETHOXYPYRIDAZINE is also correct answer. sulphamethoxy pyridazine is a sulfonamide antibacterial and it is an alternative for DAPSONE. Both are highly effective in controlling the skin diseases in 97% of patients with dapsone and 89%on sulphamethoxy pyridazine according to the clinical studies	Sulphamethoxy pyridazine is used for dermatitis herpetiformis. Solely use	Invalid
352	Multiple correct answers	47351693	Sir digitalis can be used for congestive heart failure due to ischemia....	QUESTION asked in difficult level and Strategic thinking	Invalid
353	Any other mistake	47351693	I CHOOSE OPTION 4 DURING THE EXAMINATION. BUT IN THE ANSWER SHEET IT IS SHOWING OPTION 2.	deviated	Invalid
354	Any other mistake	47351693	I selected option 3 but in my answer response sheet shows selected option as 4 so please review my answer response sheet	deviated	Invalid
355	Multiple correct answers	47351693	multiple correct answers.	NO. OPTION 4. QUESTION asked in difficult level and Strategic thinking. F	Invalid
356	Translation error	47351694	it is irrelative	TOPIC 2.5, SUBTOPIC 2.5. 1	Invalid
357	Incorrect answer key	47351695	obstructive jaundice is caused by the imbalance in the creatinine concentration.	Basic understanding , and easy. Ref: A textbook of Hospital and Clinical P	Invalid
358	Any other mistake	47351696	ACCORDING TO THE STANDARD BOOK ANSWER WILL BE A DICUMAROL	Wrong. Essential of medical pharmacology 7 th edition, KD TRIPATHI, Pa	Invalid

359	Any other mistake	47351696	Option no 1 C.obovata is most appropriate answer for this question.See In pharmacognosy book by C.k.kokate page no 179.	Not relavent to Q 36	Invalid
360	Incorrect / Ambiguous question	47351696	Source Google Link: https://www.ncbi.nlm.nih.gov/pubmed/17484616 Clearly mentioned as "EDTA has been recommended as the anticoagulant of choice for hematological testing because it allows the best preservation of cellular components and morphology of blood cells. The remarkable expansion in laboratory test volume and complexity over recent decades has amplified the potential spectrum of applications for this anticoagulant, which can be used to stabilize blood for a variety of traditional and innovative tests. " so EDTA should also be one of the option. Kindly review once and if i am correct re score.	Deviated from the query. Ref: Essential of medical pharmacology 7 th ed	Invalid
361	Multiple correct answers	47351696	Warfarin can also be use as anticoagulant	Warfarin is oral anticoagulant	Invalid
362	Multiple correct answers	47351696	Heparin generally used in laboratory	Heparin is parenteral anticoagulant	Invalid
363	Multiple correct answers	47351696	According to k.d. tripathi textbook of pharmacology 6th edition page no. 697 both heparin as well as sodium citrate are used as a in-vitro anticoagulants	YES. Essential of medical pharmacology 7 th edition, KD TRIPATHI, Page 6	Invalid
364	Incorrect answer key	47351696	warfarine anticoagulant is used in blood samples collection for transfusion.	Wrong. Essential of medical pharmacology 7 th edition, KD TRIPATHI, Page	Invalid
365	Multiple correct answers	47351697	Amiloride also correct answer, being Amiloride is a Diuretic, we should give to the patients wit Diabetes Inspidus, which increases further more frequency.	Amiloride is classified under thiazide diuretics ,so it is not a correct choic	Invalid
366	Any other mistake	47351697	I selected correct option 3 but I'm my response sheet shows selected option as 1 which is wrong so please review my answer	Deviated from the query. Ref: Essential of medical pharmacology 7 th ed	Invalid
367	Multiple correct answers	47351697	which one of the following is not used in the treatment of diabetes insipidus?Answer given by you is: ketoconazoleMy explanation is that amiloride also one of the option which is not used in the treatment of diabetes insipidus. How means, in diabetes insipidus urine production is very high. The amiloride drug which is comes under the classification of diuretics which causes passing of more urine. if we treat with amiloride results in more passing of urine occurs. Finally it leads to death of patient due to dehydration.	Amiloride is classified under thiazide diuretics ,so it is not a correct choic	Invalid
368	Multiple correct answers	47351699	Nicotinic receptor causes parotid gland secretion(salivary gland secretion and gastric juice secretion (option 1)) and also muscle twitghing(option 2).Thus both options are correct.	No. INCREASED SECRETION OF SALIVA &GASTRIC GLAND BY MUSCARIN	Invalid